Upper Hunter Mining Dialogue

Final and Temporary Rehabilitation Principles and Commitments

BHP Billiton Mt Arthur Coal

April 2014



Final and Temporary Rehabilitation Principles and Commitments

Introduction

The nine coal producers of the Upper Hunter, through the Upper Hunter Mining Dialogue have agreed to this set of principles and commitments with regard to final and temporary rehabilitation. The Principles and Commitments have been developed with advice and guidance from the UHMD Joint Working Group – Land Management which is a stakeholder and industry group.

The Upper Hunter Mining Dialogue has two five year goals with regard to land management:

- Goal 1 To decrease the time that disturbed areas are left without final or temporary cover, recognising that different mining operations are at different points in rehabilitation.
- Goal 2 To achieve a consistent level of best practice, quality, integrated rehabilitation both within the industry and with future land uses across the Upper Hunter and to be a responsible steward of the land.

The primary focus of the Rehabilitation Principles and Commitments is to contribute to Goal 1. A number of other projects are underway to progress Goal 1. The industry participants in the UHMD acknowledge the importance of clear goals for rehabilitation developed through consultation with community and regulators, continuing to improve rehabilitation techniques and sharing innovative and successful rehabilitation techniques within the industry. Projects under Goal 2 focus on continuous improvement of rehabilitation practices.

Principles and Commitments

The Upper Hunter coal producers will publicly report against the Principles and Commitments on an annual basis. The reporting will be aggregated by the NSW Minerals Council and shared with the community. Table 1 sets out the six principles and provides a description of how each will be reported against.



Table 1 – Principles and Commitments

Principle	Reporting
Principle 1 – Include rehabilitation planning in mine planning	Planning for rehabilitation is undertaken jointly by the Mine Planning and Environment functions at Mt Arthur Coal, with Environment only responsible for the final land treatment and vegetation establishment.
Planning for rehabilitation should be integrated into the mine planning process and should include allocating adequate and dedicated resources to achieve the planned rehabilitation	Longterm mine planners allocate proposed rehabilitation areas as part of the five year mine planning process. These areas are reported in the Mining Operations Plan (MOP).
outcomes.	Topsoil recovery, placement and spreading are undertaken by contractors, under supervision of the Mine Planning/Pit Services function, with technical advice provided by Environment.
	Mine Planning also completes the design of overburden emplacements, including planning, scheduling and supervision of reshaping works to achieve the final approved landform.
Principle 2 – Undertake progressive rehabilitation	Rehabilitation at Mt Arthur Coal is completed progressively, within the constraints of operationally reserved land. The main mining disturbed areas available for rehabilitation are the
Companies should undertake rehabilitation progressively, with the objective of ensuring that rehabilitation is as close as possible to active mining.	overburden emplacements. As these emplacements advance and reach the approved elevation, they are progressively reshaped, topsoiled and revegetated. With the exception of emplacement areas reserved for operational requirements, such as haul roads of future mining access, all emplacement areas that have reached their approved elevation have been rehabilitated, or allocated for rehabilitation within the current MOP period.
Principle 3 – Minimise time that disturbed areas are left without vegetation	Mt Arthur Coal limits the area of vegetation cleared ahead of mining to those areas proposed for further ground disturbance within the subsequent 3 months. This assists in minimising the overall area of site disturbance.



Principle	Reporting
 Companies should actively seek to minimise the time that land is left without cover during mining. This should include: Taking steps to ensure that rehabilitation is commenced within 12 months of land becoming available for rehabilitation Utilising methods of temporary rehabilitation¹, such as aerial seeding of over burden and other disturbed areas where permanent rehabilitation has not commenced. 	Where woodland communities are cleared, vegetation is mulched (following recovery of suitable habitat trees and logs) and left on the ground to provide a protective mulch layer, until stripped and recovered with the underlying topsoil. Peripheral land disturbed for infrastructure construction projects is required to be rehabilitated as part of the project scope, using rapid rehabilitation methods such as hydroseeding. These measures reduce the potential for dust, erosion or weed establishment in those cleared areas. Operationally available mining disturbed land is progressively rehabilitated, as discussed previously. Where disturbed land is operationally unavailable for rehabilitation in the near future, aerial seeding of those areas with a pasture seed/fertiliser mix is used as a temporary dust suppression measure. Mt Arthur Coal has a well-established aerial seeding program, having commenced in 2010, with 151 ha seeded during FY12/FY13.
Principle 4 – Prioritise areas of rehabilitation and temporary cover to reduce impacts	The areas of mining disturbed land that tend to represent the greatest impact, from a dust generation and visual aesthetics perspective, are the overburden emplacements. Overburden emplacements are prioritised for rehabilitation as soon as operationally available and, where
Companies should prioritise rehabilitation and temporary cover in those areas where leaving land exposed will have the most impact. The	not available for final rehabilitation, are targeted for temporary vegetation establishment via the aerial seeding program.
 following areas should be considered to have priority: Areas that have the greatest impact on visual amenity, such as areas that face townships, residences, or the highway Areas that have the potential to generate dust leaving the site 	The priority for rehabilitation at Mt Arthur Coal is the construction and rehabilitation of overburden in Visual Dump 1 (VD1). VD1 will be the highest manmade landform on the Mt Arthur Coal mine site and represents the most visible mine feature from the residential and publicly accessible areas to the northwest of the mine. Placement of overburden on VD1, and rehabilitation to boxgum woodland, is a priority to ensure it achieves its intended function of providing a visual and noise shield from future mining operations.
 Areas that are important for biodiversity, such as rehabilitation adjoining or providing connectivity to remnant vegetation. 	Rehabilitation of Saddlers Pit emplacement areas are also a priority. As well as disturbance minimisation (and associated dust/erosion reduction benefits), achieving final rehabilitation in this area will connect Mt Arthur/Mt Arthur Conservation with Saddlers Creek Conservation areas, which links into wider regional vegetation corridors.
Principle 5 – Meet target for rehabilitation progress identified in the Mining Operations Plan	For the MOP period FY12/13, Mt Arthur Coal achieved 94.6 ha. This met the rehabilitation commitment of 81.4 ha for the period, as reported in the 2011 MOP.

¹ Temporary rehabilitation describes reshaping, revegetation and other rehabilitation techniques that are used for purposes other than final rehabilitation. This includes such initiatives as seeding overburden emplacement areas to reduce erosion, which are only temporary.



Principle	Reporting
Each company should meet the annual target for rehabilitation quantity (area) set in the Mining Operations Plans for each of its mines.	Although, FY12 saw a shortfall in committed rehabilitation, a large area of land was reshaped in preparation for rehabilitation. This allowed for the additional area to be reached (and exceeded) in FY13.
Principle6–Setqualitytargetsforrehabilitation in the Mining OperationsPlanand implement a monitoring program tomeasure performanceEach company should include quality targets forthe various types of rehabilitation in the MiningOperationsPlanforeach of its mines. Amonitoring program to measure the performanceof rehabilitation areas against the quality targetsshould be implemented at each of its mines.	 mined land rehabilitation. These objectives and criteria describe the desired quality targets expected for each type of rehabilitation community to be established, including pasture, boxgum woodland communities and native woodland corridors. A rehabilitation monitoring program, incorporated into the annual biodiversity monitoring program, has been established at Mt Arthur Coal to assess rehabilitation development and measure progress towards these objectives/criteria. This monitoring program will commence in

